



APPROVAL OF RESERVED MATTERS

Planning Act (Northern Ireland) 2011

Application No: **LA09/2021/1146/RM**

Date of Application: **6th August 2021**

Site of Proposed Development: **Approx. 50m NW of 33 Lower Grange Road
Cookstown BT80 9RZ.**

Description of Proposal: **Proposed dwelling & domestic garage.**

Applicant:
Address:

Agent:
Address:

Drawing Ref: 01, 02, 03, 04

Outline Application Number: LA09/2021/0055/O

With respect to the above proposal for development, being matters reserved in the outline planning permission specified above, Mid Ulster District Council in pursuance of its powers under the above-mentioned Act and in accordance with your application

HEREBY APPROVES

the said reserved matters subject to compliance with the following conditions which are imposed for the reasons stated:

1. The development to which this approval relates must be begun by whichever is the later of the following dates:-
 - i. The expiration of a period of 5 years from the grant of outline planning permission; or
 - ii. The expiration of a period of 2 years from the date hereof.

Reason: As required by Section 62 of the Planning Act (Northern Ireland) 2011.



2. All landscaping comprised in the approved details of landscaping on stamped drawing No.02 date stamped 06 August 2021 shall be carried out in the first planting season following the commencement of the construction of the development hereby approved.

Reason: To ensure the development integrates into the countryside.

3. If any retained tree is removed, uprooted or destroyed or dies within 3 years from the date of occupation of the building for its permitted use another tree or trees shall be planted at the same place and that/those tree(s) shall be of such size and species and shall be planted at such time as may be specified by the Council.

Reason: To ensure the continuity of amenity by existing trees.

4. If within a period of 5 years from the date of the planting of any tree, shrub or hedge, that tree, shrub or hedge is removed, uprooted or destroyed or dies, or becomes, in the opinion of the Council, seriously damaged or defective, another tree, shrub or hedge of the same species and size as that originally planted shall be planted at the same place, unless the Council gives written consent to any variation.

Reason: To ensure the provision, establishment and maintenance of a high standard of landscape.

5. The vehicular access including visibility splays and any forward sight distance, shall be provided in accordance with Drawing No 02 bearing the date stamp 06 August 2021 prior to the commencement of any other development hereby permitted. The area within the visibility splays shall be cleared to provide a level surface no higher than 250mm above the level of the adjoining carriageway and such splays shall be retained and kept clear thereafter.

Reason: To ensure there is a satisfactory means of access in the interests of road safety and the convenience of road users.

6. The access gradient(s) to the dwelling hereby permitted shall not exceed 8% (1 in 12.5) over the first 5 m outside the road boundary.

Reason: To ensure there is a satisfactory means of access in the interests of road safety and the convenience of road users.

Informatives

1. This permission does not confer title. It is the responsibility of the developer to ensure that he controls all the lands necessary to carry out the proposed development.
2. This permission does not alter or extinguish or otherwise affect any existing or valid right of way crossing, impinging or otherwise pertaining to these lands.



3. Developers should acquaint themselves of their statutory obligations in respect of watercourses as prescribed in the Drainage (Northern Ireland) Order 1973, and consult the Rivers Agency of the Department of Agriculture accordingly on any related matters.
4. Any proposals in connection with the development, either temporary or permanent which involve interference with any watercourse at the site:- such as diversion, culverting, bridging; or placing any form of structure in any watercourse, require the written consent of the Rivers Agency. Failure to obtain such consent prior to carrying out such proposals is an offence under the Drainage Order which may lead to prosecution or statutory action as provided for.
5. Any proposals in connection with the development, either temporary or permanent which involve additional discharge of storm water to any watercourse require the written consent of the Rivers Agency. Failure to obtain such consent prior to permitting such discharge is an offence under the Drainage Order which may lead to prosecution or statutory action as provided for.
6. If, during the course of developing the site, the developer uncovers a watercourse not previously evident, he should advise the local Rivers Agency office immediately in order that arrangements may be made for investigation and direction in respect of any necessary measures required to deal with the watercourse.
7. Where an undesignated watercourse flows through or adjacent to a development site, it is strongly advised that a working strip of appropriate width is retained to, in future, enable riparian landowners to fulfil their statutory obligations/responsibilities.
8. Notwithstanding the terms and conditions of the Council's approval set out above, you are required under Articles 71-83 inclusive of the Roads (NI) Order 1993 to be in possession of the DfI Roads consent before any work is commenced which involves making or altering any opening to any boundary adjacent to the public road, verge, or footway or any part of said road, verge, or footway bounding the site. The consent is available on personal application to the DfI Roads Section Engineer whose address is Loughrey Campus, 49 Tullywiggan Road, Cookstown, BT80 8SG. A monetary deposit will be required to cover works on the public road.
9. It is the responsibility of the Developer to ensure that water does not flow from the site onto the public road (including verge or footway) and that existing road side drainage is preserved and does not allow water from the road to enter the site. This planning approval does not give authority to discharge any drainage into a DfI Roads drainage system

Dated: 19th November 2021

Planning Manager

